ALCA TOOLS LIMITED

Tel. +44 (0)1227 366051 Fax. +44 (0)1227 740033
Email sales@alcatools.co.uk Web www.alcatools.co.uk

Beta INOX STAINLESS STEEL

STAINLESS STEEL + NO STAINLESS STEEL= RUST

STAINLESS STEEL + STAINLESS STEEL= NO RUST

THE BETA INOX TOOLS CAN BE AUTOCLAVE STERILIZED AT 121 °C

The **BETA INOX** tools can be used in **critical environments** - that is, in areas where the minimum level of contamination is not permitted.
Some examples are:
- Nuclear applications
- Pharmaceutical production
- Offshore applications
- Biotechnological and biomedical laboratories
- Food industry.

The Beta Inox tools avoid **improper rust formation.**
Whenever any tools other than those made of stainless steel are used on stainless steel screws, nuts or surfaces, a few particles may come off the tools, thereby triggering corrosion. This often results in aesthetic problems and, sometimes, in structural problems as well.
Examples of applications are:
- Shipyards
- Building
- Solar systems
- Car industry.

CHARACTERISTICS
Accurate selection of the materials[1] and the expert quest for the best heat treatment provide the Beta Inox tools with **mechanical characteristics** which far exceed the standards and are comparable to those of the other Beta tools.

These tools share the same ergonomic properties and design as the other Beta tools, which have been known to, and appreciated by, professional users for over 75 years.

Stainless steel is 100% recyclable, which is also a major plus.

[1] *Beta Utensili uses magnetic stainless steel AISI 420*

42INOX

combination wrenches
made of stainless steel

mm	L mm		
6x6	95	2	000420306
8x8	116	2	000420308
10x10	137	2	000420310
11x11	148	2	000420311
12x12	158	2	000420312
13x13	169	2	000420313
14x14	180	2	000420314
15x15	190	2	000420315
16x16	201	2	000420316
17x17	212	2	000420317
19x19	233	2	000420319

42INOX/S11 1 000420391
6-8-10-11-12-13-
14-15-16-17-19mm

42INOX/SC9 1 000420387
8-10-11-12-13-14-15-17-19 mm

42/SCV9I 1 000420103

42INOX-AS

combination wrenches,
made of stainless steel

"	L mm		
1/4x1/4	95	1	000420356
5/16x5/16	116	1	000420358
3/8x3/8	137	1	000420360
7/16x7/16	148	1	000420361
1/2x1/2	169	1	000420363
9/16x9/16	180	1	000420364
5/8x5/8	201	1	000420366
11/16x11/16	212	1	000420367
3/4x3/4	233	1	000420369

42INOX-AS/S9 1 000420396
1/4-5/16-3/8-7/16-1/2
9/16-5/8-11/16-3/4

Specialists in Cutting Tools
ALCA TOOLS LTD
Tel. 01227 366051 Fax. 01227 740033
Email sales@alcatools.co.uk www.alcatools.co.uk

96BPINOX

ball head offset hexagon key wrenches,
made of stainless steel



mm	L mm	L1 mm		
2,5	91	22	4	000961442
3	101	24	4	000961443
4	112	29	4	000961444
5	131	33	4	000961445
6	154	36	4	000961446
8	175	44	2	000961448
10	197	51	2	000961450

96BPINOX/B7 1 000961454
2,5-3-4-5-6-8-10 mm

96/BV 1 000961459

96TINOX

offset hexagon key wrenches,
with high-torque handles,
made of stainless steel



mm	L mm	L1 mm		
2.5	153	55	2	000961935
3	153	55	2	000961936
4	179	70	2	000961938
5	200	84	2	000961940
6	221	95	2	000961941

96TINOX/S5 1 000961952
2,5-3-4-5-6 mm

1290INOX

screwdrivers for slotted head screws
made of stainless steel



SxAxL mm	L1 mm	Ø mm		
0.4x2.5x50	146	2.5	4	012900403
0.5x3x75	171	3.0	4	012900409
0.8x4x100	196	4.0	4	012900430
1.x5.5x150	259	5.0	4	012900442
1.2x6.5x150	270	6.0	4	012900451

1292INOX

screwdrivers for cross head Phillips® screws,
made of stainless steel



PHxDxL mm	L1 mm		
0x3x60	156	4	012920403
1x4.5x80	189	4	012920409
2x6x100	220	4	012920418

1293INOX/D8

screwdriver set
made of stainless steel

1293INOX/D8 1 012930408

1290INOX 2,5x50-3x75
4x100-5,5x150-6,5x150 mm
1292INOX PH0x60-PH1x80
PH2x100 mm

C04 INOX-7

mobile roller cab with seven drawers
made of stainless steel

Main features:
• Seven drawers 570 x 410 mm
with ball bearing slides;
6 drawers, 83 mm high;
1 drawer, 170 mm high;
• 4 castors 125 mm in Ø
2 fixed and 2 steering (two with brakes);
• Front centralized lock;
• Outer frame made of stainless steel AISI 430
• Drawer handles made of aluminium
• Castors, guides and drawer interiors made of standard steel

63 kg

ALCA
Specialists in Cutting Tools
ALCA TOOLS LTD
Tel. 01227 366051 Fax. 01227 740033
Email sales@alcatools.co.uk www.alcatools.co.uk



h	max
83 mm	25 kg
170 mm	30 kg





C04 INOX/7	1	024003007